

# 研究業績

アスタリスク（\*）は責任著者であることを示す。

## 西島隆明

### 1. 原著論文

- 1) Kondo, M., N. Tanikawa and T. Nishijima\*. 2020. Mutation of *CYCLOIDEA* expands variation of dorsal–ventral flower asymmetry expressed as a pigmentation pattern in *Torenia fournieri* cultivars. Hort. J. 89: 481-487.
- 2) Ohta, K., R. Makino, T. Akihiro and T. Nishijima. 2018. Planting density influence yield, plant morphology and physiological characteristics of determinate ‘Suzukoma’ Tomato. J. Appl. Hortic. 20: 3-10.
- 3) Singkaew, J., T. Nishijima and S. Photchanachai. 2018. Effects of tomato seed maturity on seed quality and endogenous hormones. Acta Hortic. 1208: 355-362.
- 4) Nishijima, T.\* and K. Takagi. 2017. A versatile and highly reliable method to identify genes responsible for mutations caused by highly active transposable elements. JARQ. 51: 51-57.
- 5) Okazawa, T. and T. Nishijima\*. 2017. Effect of low light intensity on longevity of flowering on bedding plants targeted for indoor use. JARQ. 51: 279-286.
- 6) Inthima, P., M. Nakano, M. Otani, T. Niki, T. Nishijima, M. Koshioka and K. Supaibulwatana. 2017. Overexpression of the gibberellin 20-oxidase gene from *Torenia fournieri* resulted in modified trichome formation and terpenoid metabolites of *Artemisia annua* L. Plant Cell Tiss. Organ Cult. 129: 223-236.
- 7) 岡澤立夫・松浦里江・節句田恵美・濱本宏・西島隆明\*. 2016. 布容器と有機質培地の組合せが花壇用花苗の生育に及ぼす影響. 園学研. 15: 19-28.
- 8) 阿部弘・川勝恭子・大友英嗣・西島隆明. 2016. エゾリンドウにおける塊茎の発達様式と株齢による花茎生産性の変動. 園学研. 15: 267-273.
- 9) Nishijima, T.\*, T. Niki and T. Niki. 2016. A novel “Petaloid” mutant of torenia (*Torenia fournieri* Lind. ex Fourn.) bears double flowers through insertion of the DNA transposon *Tf1* into a C-class floral homeotic gene. Hort. J. 85: 272-283.
- 10) Ito, A., D. Sakamoto, A. Itai, T. Nishijima, N. Oyama-Okubo, Y. Nakamura, T. Moriguchi and I. Nakajima. 2016. Effects of GA<sub>3+1</sub> and GA<sub>4+7</sub> application either alone or combined with prohexadione-Ca on fruit development of Japanese pear ‘Kosui’. Hort. J. 85: 201-208.
- 11) Niki, T., K. Sasaki, M. Shikata, T. Kawasaki-Narumi, N. Ohtsubo and T. Nishijima\*. 2016. Conversion of abaxial to adaxial petal in a torenia (*Torenia fournieri* Lind. ex Fourn.) mutant appeared in selfed progeny of a mutable line “Flecked”. Hort. J. 85: 351-359.
- 12) Otani, M., M. Ishibe, P. Inthima, K. Supaibulwatana, S. Mori, T. Niki, T. Nishijima, M. Koshioka and M. Nakano. 2015. Horticultural characterization of a tetraploid transgenic plant of *Tricyrtis* sp. carrying the gibberellin 2-oxidase gene. Plant Biotechnol. 31: 335-340.

- 13) Ito, A., T. Saito, T. Nishijima and T. Moriguchi. 2014. Effect of extending the photoperiod with low-intensity red or far-red light on the timing of shoot elongation and flower-bud formation of 1-year-old Japanese pear (*Pyrus pyrifolia*). *Tree Physiol.* 34: 534-536.
- 14) Niki, T., R. Aida, T. Niki and T. Nishijima\*. 2013. Effect of localized promotion of cytokinin biosynthesis on flower morphology in flower buds of *Torenia fournieri* Lind. *J. Japan. Soc. Hort. Sci.* 82: 328-336.
- 15) Niki, T., T. Mahesumu, T. Niki and T. Nishijima\*. 2013. Localized high expression of type-A response regulator and cytokinin oxidase/dehydrogenase genes in relation to forchlorfenuron-induced changes in flower morphology in *Torenia fournieri* Lind. *J. Japan. Soc. Hort. Sci.* 82: 69-77.
- 16) Nishijima, T.\*, Y. Morita, K. Sasaki, M. Nakayama, H. Yamaguchi, N. Ohtsubo, T. Niki and T. Niki. 2013. A torenia (*Torenia fournieri* Lind. ex Fourn.) novel mutant 'Fleked' produces variegated flowers by insertion of a DNA transposon into a *R2R3-MYB* gene. *J. Japan. Soc. Hort. Sci.* 82: 39-50.
- 17) Otani, M., S. Meguro, H. Gondaira, M. Hayashi, M. Saito, D. S. Hana, P. Inthima, K. Supaibulwatana, S. Mori, Y. Jikumaru, Y. Kamiya, T. Niki, T. Li, T. Nishijima, M. Koshioka and M. Nakano. 2013. Overexpression of the gibberellin 2-oxidase gene from *Torenia fournieri* induces dwarf phenotypes in the liliaceous monocotyledon *Tricyrtis* sp. *J. Plant Physiol.* 170: 1416-23.
- 18) Niki, T., M. Hirai, T. Niki, A. Kanno and T. Nishijima\*. 2012. Role of homeotic genes in the morphology of forchlorfenuron-induced paracorollas in *Torenia fournieri* Lind. *J. Japan. Soc. Hort. Sci.* 81: 204-212.
- 19) Honda, C., S. Kusaba, T. Nishijima and T. Moriguchi. 2011. Transformation of kiwifruit using the *ipt* gene alters tree architecture. *Plant Cell Tiss. Organ Cult.* 107: 45-53.
- 20) Nishijima, T.\*, T. Niki and T. Niki. 2011a. Corolla of the Large-flowered petunia (*Petunia hybrida* Vilm.) cultivars exhibit low endogenous cytokinin concentration through enhanced expression of the genes encoding cytokinin oxidases. *J. Japan. Soc. Hort. Sci.* 80: 334-342.
- 21) Nishijima, T.\*, T. Niki and T. Niki. 2011b. The large-flowered petunia (*Petunia hybrida* Vilm.) genotype promotes expressions of type-A response regulator and cytokinin receptor genes like cytokinin response. *J. Japan. Soc. Hort. Sci.* 80: 343-350.
- 22) Sasaki, K., R. Aida, H. Yamaguchi, M. Shikata, T. Niki, T. Nishijima and N. Ohtsubo. 2010. Functional divergence within class B MADS-box genes *TfGLO* and *TfDEF* in *Torenia fournieri* Lind. *Mol. Genet. Genomics.* 284: 399-414.
- 23) Li, T., T. Niki, T. Nishijima, M. Douzono, M. Koshioka and T. Hisamatsu. 2009. Roles of *CmFL*, *CmAFL1*, and *CmSOCl* in the transition from vegetative to reproductive growth in *Chrysanthemum morifolium* Ramat. *J. Hortic. Sci. Biotech.* 84: 447-453.
- 24) Yamada, K., R. Norikoshi, K. Suzuki, T. Nishijima, H. Imanishi and K. Ichimura. 2009. Cell division and expansion growth during rose petal development. *J. Jap. Soc. Hort. Sci.* 73: 356-362.
- 25) Yamaguchi, H., T. Niki, T. Niki and T. Nishijima\*. 2009. Morphological property and role of homeotic genes in paracorolla development of *Antirrhinum majus*. *J. Jap. Soc. Hort. Sci.* 79: 192-199.
- 26) Narumi, T., R. Aida, T. Niki, T. Nishijima, N. Mitsuda, K. Hiratsu, M. Ohme-Takagi and N. Ohtsubo. 2008. Chimeric *AGAMOUS* repressor induces serrated petal phenotype in *Torenia fournieri* similar to that induced by cytokinin application. *Plant Biotechnol.* 25: 45-54.
- 27) Sasaki, K., R. Aida, T. Niki, H. Yamaguchi, T. Narumi, T. Nishijima, Y. Hayashi, H. Ryuto, N. Fukunishi, T. Abe and N. Ohtsubo. 2008. High-efficiency improvement of transgenic torenia flowers by

ion beam irradiation. Plant Biotechnol. 25: 81-90.

- 28) 佐々木和也・西島隆明・本多和茂・佐賀紘一・鮫島郁夫. 2007. 昼夜温度差および短時間変温がシネンシス系デルフィニウムの生育に及ぼす影響. 園学研. 6: 577-583.
- 29) Nishijima, T.\* and N. Fukino. 2006. Autonomous development of erect leaves independent of light irradiation during the early stage of head formation in Chinese cabbage (*Brassica rapa* L. var. *pekinensis* Rupr.). J. Jap. Soc. Hort. Sci. 75: 59-65.
- 30) Nishijima, T.\*, H. Miyaki, K. Sasaki and T. Okazawa. 2006. Cultivar and anatomical analysis of corolla enlargement of petunia (*Petunia hybrida* Vilm.) by cytokinin application. Sci. Hortic. 111: 49-55.
- 31) Nishijima, T.\* and K. Shima. 2006. Change in flower morphology of *Torenia fournieri* Lind. induced by forchlorfenuron application. Sci. Hortic. 109: 254-261.
- 32) 住友克彦・西島隆明・小野崎隆・柴田道夫. 2006. キク属野生種と栽培ギクの葉身における毛の密度、長さならびに発達について. 園学研. 5: 351-356.
- 33) Nishijima, T.\*, H. Sugii, N. Fukino and T. Mochizuki. 2005. Aerial tubers induced in turnip (*Brassica rapa* L. var. *rapa* (L.) Hartm.) by gibberellin treatment. Sci. Hortic. 105: 423-433.
- 34) Nishijima, T.\* and N. Fukino. 2005. Geometrical analysis of development of erect leaves as a factor in head formation of *Brassica rapa* L.: (I) Geometrical change of growing leaves in head cultivars. Sci. Hortic. 104: 407-419.
- 35) Nishijima, T.\* and N. Fukino. 2005. Geometrical analysis of development of erect leaves as a factor in head formation of *Brassica rapa* L.: (II) Comparative analysis of headed and non-headed cultivars. Sci. Hortic. 104: 421-431.
- 36) Nakagawa, H., C. J. Jiang, H. Sakakibara, M. Kojima, I. Honda, H. Ajisaka, T. Nishijima, M. Koshioka, T. Homma, L. N. Mander and H. Takatsuji. 2005. Overexpression of a petunia zinc-finger gene alters cytokinin metabolism and plant forms. Plant J. 41: 512-523.
- 37) 國武利浩・松野孝敏・西島隆明. 2005. 夏秋ギク‘岩の白扇’の奇形花発生に及ぼす高温遭遇時期と温度条件. 九農研. 67: 184.
- 38) Nishijima, T.\*. 2003. Effect of gibberellin biosynthesis inhibitor on prevention of precocious bolting and flowering in Japanese radish (*Raphanus sativus* L.). JARQ. 37: 175-182.
- 39) Yamazaki, H., T. Nishijima, M. Koshioka and H. Miura. 2002. Gibberellins do not act against abscisic acid in the regulation of bulb dormancy of *Allium wakegi* Araki. Plant Growth Regul. 36: 223-229.
- 40) Fukino, N., M. Taneishi, T. Saito, T. Nishijima and M. Hirai. 2002. Construction of a linkage map and genetic analysis for resistance to cotton aphid and powdery mildew in melon. Acta Hortic. 588: 283-286.
- 41) Niki, T., T. Nishijima, M. Nakayama, T. Hisamatsu, N. Oyama-Okubo, H. Yamazaki, P. Hedden, T. Lange, L. N. Mander and M. Koshioka. 2001. Production of dwarf lettuce by overexpressing a pumpkin gibberellin 20-oxidase gene. Plant Physiol. 126: 965-972.
- 42) 山崎博子・西島隆明・腰岡政二・三浦周行. 2001. ワケギのりん茎の発達および休眠状態の変化に伴う葉鞘基部における炭水化物の動態. 園学雑. 70: 353-359.

- 43) Yamazaki, H., T. Nishijima, Y. Yamato, M. Koshioka and H. Miura. 1999. Involvement of abscisic acid (ABA) in relation to bulb dormancy of *Allium wakegi* Araki. I. Endogenous levels in relation to bulb dormancy and effects of exogenous ABA and fluridone. *Plant Growth Regul.* 29: 189-194.
- 44) Yamazaki, H., T. Nishijima, Y. Yamato, M. Hamano, M. Koshioka and H. Miura. 1999. Involvement of abscisic acid in bulb dormancy of *Allium wakegi* Araki. II. A comparison between dormant and nondormant cultivars. *Plant Growth Regul.* 29: 195-200.
- 45) Nishijima, T.<sup>\*</sup>, N. Katsura, M. Koshioka, H. Yamazaki, M. Nakayama, H. Yamane, I. Yamaguchi, T. Yokota, N. Murofushi, N. Takahashi, M. Nonaka and L. N. Mander. 1998. Role of endogenous gibberellins in cold-induced stem elongation and flowering of Japanese radish (*Raphanus sativus* L.). *J. Japan. Soc. Hort. Sci.* 67: 319-324.
- 46) Nishijima, T.<sup>\*</sup>, N. Katsura, M. Koshioka, H. Yamazaki, M. Nakayama, H. Yamane, I. Yamaguchi, T. Yokota, N. Murofushi, N. Takahashi, M. Nonaka and L. N. Mander. 1998. Effects of gibberellins and gibberellin-biosynthesis inhibitors on stem elongation and flowering of *Raphanus sativus* L. *J. Japan. Soc. Hort. Sci.* 67: 325-330.
- 47) Nakayama, M., T. Nishijima, M. Koshioka, H. Yamane, D. J. Owen and L. N. Mander. 1998. Identification of GA<sub>113</sub>, GA<sub>114</sub>, GA<sub>115</sub> and GA<sub>116</sub> and further novel gibberellins in *Raphanus sativus*. *Phytochemistry* 48: 287-293.
- 48) Hisamatsu, T., M. Koshioka, T. Nishijima and L. N. Mander. 1998. Identification of endogenous gibberellins and their role in rosetted seedlings of *Eustoma grandiflorum*. *J. Japan. Soc. Hort. Sci.* 67: 866-871.
- 49) Yamazaki, H., R. Oi, T. Nishijima and H. Miura. 1998. Inhibition of bulb development in *Allium wakegi* Araki under a high red/far red photon ratio. *J. Japan. Soc. Hort. Sci.* 67: 337-340.
- 50) Nishijima, T.<sup>\*</sup>, N. Katsura, M. Koshioka, H. Yamazaki and L. N. Mander. 1997. Effects of uniconazole and GA<sub>3</sub> on flowering and bolting of *Raphanus sativus*. *Plant Growth Regul.* 21: 207-214.
- 51) Nishijima, T.<sup>\*</sup>, M. Nonaka, M. Koshioka, H. Ikeda, M. Dozono, H. Yamazaki and L. N. Mander. 1997. Role of gibberellins in thermoperiodic regulation of stem elongation in *Dendranthema grandiflorum* Tzvelev. *Biosci. Biotech. Biochem.* 61: 1362-1366.
- 52) Nishijima, T.<sup>\*</sup>, M. Koshioka, H. Yamazaki and L. N. Mander. 1997. Gibberellin metabolism in intact plant of *Raphanus sativus* L. *Biosci. Biotech. Biochem.* 61: 1763-1765.
- 53) Koshioka, M., T. Nishijima and H. Yamazaki. 1996. Endogenous gibberellins in the immature seeds of okra (*Abelmoschus esculentus*). *J. Plant Physiol.* 149: 129-132.
- 54) Motosugi, H., T. Nishijima, N. Hiehata, M. Koshioka and A. Sugiura. 1996. Endogenous gibberellins in the xylem exudate from apple trees. *Biosci. Biotech. Biochem.* 60: 1500-1502.
- 55) 山崎博子・西島隆明・腰岡政二・三浦周行. 1996. 野菜種子の発芽に及ぼす高水圧処理の影響. 野菜・茶業試験場研究報告A (野菜・花き). 11: 61-68.
- 56) Koshioka, M., T. Nishijima, H. Yamazaki and L. N. Mander. 1995. Gibberellin metabolism in suspension cultured cells of *Raphanus sativus*. *Phytochemistry*. 38: 359-363.
- 57) Yamazaki, H., T. Nishijima and M. Koshioka. 1995. Effects of (+)-S-abscisic acid on the quality of stored cucumber and tomato seedlings. *HortSci.* 30: 80-82.

- 58) Nakayama, M., H. Yamane, H. Nojiri, T. Yokota, I. Yamaguchi, N. Murofushi, N. Takahashi, T. Nishijima, M. Koshioka, N. Katsura, and M. Nonaka. 1995. Qualitative and quantitative analysis of endogenous gibberellins in *Raphanus sativus* L. during cold treatment and the subsequent growth. Biosci. Biotech. Biochem. 59: 1121-1125.
- 59) Ishii, T. and T. Nishijima. 1995. Inhibition of gibberellin-induced elongation growth of rice by feruloyl oligosaccharides. Plant Cell Physiol. 36: 1447-1451.
- 60) Yamazaki, H., T. Nishijima and M. Koshioka. 1995. Changes in abscisic acid content and water status in bulbs of *Allium wakegi* Araki throughout the year. J. Jap. Soc. Hort. Sci. 64: 589-598.
- 61) Koshioka, M., T. Nishijima, H. Yamazaki, Y. Liu, M. Nonaka and L. N. Mander. 1994. Analysis of gibberellins in growing fruits of *Lycopersicon esculentum* after pollination or treatment with 4-chlorophenoxyacetic acid. J. Hortic. Sci. 69: 171-179.
- 62) Nishijima, T.\*, M. Koshioka, H. Yamazaki and L. N. Mander. 1995. Endogenous gibberellins and bolting in cultivars of Japanese radish. Acta Hort. 394: 199-206.
- 63) Yamazaki, H., N. Ishida, N. Katsura, H. Kano, T. Nishijima and M. Koshioka. 1995. Changes in carbohydrate composition and water status during bulb development of *Allium wakegi* Araki. Bull. Natl. Res. Inst. Veg., Ornam. Plants & Tea, Japan, A. 10: 1-11.
- 64) Uesugi, T., Koshioka, M., T. Nishijima and H. Yamazaki. 1995. Stimulation of asparagus spear sprouting with benzyladenine. Acta Hort. 394: 241-249.
- 65) Koshioka, M., T. Uesugi, T. Nishijima and H. Yamazaki. 1994. Effect of spear removal on ABA levels in *Asparagus*. JARQ. 28: 237-241.
- 66) Nishijima, T.\*, M. Koshioka and H. Yamazaki. 1993. A highly sensitive rice seedling bioassay for specific detection of femtomole quantities of 3 $\beta$ -hydroxylated gibberellins. Plant Growth Regul. 13: 241-248.
- 67) Nishijima, T.\*, M. Koshioka and H. Yamazaki. 1994. Use of several gibberellin biosynthesis inhibitors in sensitized rice seedling bioassays. Biosci. Biotech. Biochem. 58: 572-573.
- 68) Nishijima, T.\*, M. Koshioka and H. Yamazaki. 1993. Endogenous gibberellins in *Aralia cordata*. Biosci. Biotech. Biochem. 57: 1953-1954.
- 69) Koshioka, M., S. Yamaguchi, T. Nishijima, H. Yamazaki, D. O. Ferraren and L. N. Mander. 1993. Endogenous gibberellins in the developing liquid endosperm of tea. Biosci. Biotech. Biochem. 57: 1586-1588.
- 70) Nishijima, T.\*, M. Koshioka and H. Yamaji. 1992. Nondwarf rice seedling bioassay for gibberellins. Plant Physiol. 98: 962-965.
- 71) Yamaji, H., N. Katsura, T. Nishijima and M. Koshioka. 1991. Effects of soil applied uniconazole and prohexadione calcium on the growth and endogenous gibberellin content of *Lycopersicon esculentum* Mill. seedlings. J. Plant Physiol. 138: 763-764.
- 72) Nakayama, M., H. Yamane, T. Yokota, I. Yamaguchi, N. Murofushi, N. Takahashi, T. Nishijima, N. Katsura, M. Nonaka, P. Gaskin, J. MacMillan, L. N. Mander and A. Chu. 1990. Endogenous gibberellins in mature seed of *Raphanus sativus* L. cv. Taibyosobutori. Agric. Biol. Chem. 54: 837-840.
- 73) Nishijima, T.\* and N. Katsura. 1989. A modified micro-drop bioassay using dwarf rice for detection of

femtomol quantities of gibberellins. *Plant Cell Physiol.* 30: 623-627.

## 2. 総説・著書

- 74) Nishijima, T.\* 2012. Large flower size: molecular basis and role of cytokinin. *J. Japan. Soc. Hort. Sci.* 81: 129-139.
- 75) 西島隆明\*. 2012. 花の大型化 —その分子機構とサイトカイニン—. 花き研究所研究報告. 12: 85-102.
- 76) 西島隆明. 2007. 花形. 農業技術体系花卉編第5巻「育種／苗生産・バイオテク活用」. 追録第9号: 37-43. 農文協、東京.
- 77) 西島隆明. 2005. 植物育種学事典 (20項目を執筆). 培風館、東京.
- 78) 園芸学会編. 2005. 園芸学用語集・作物名編. 養賢堂、東京. (編集委員として執筆、編集).
- 79) 西島隆明. 2001. ダイコン. 食料の百科事典. 五十嵐修・一島英治・大賀圭治・小林彰夫・田島真・田村真八郎・中村良編: 588. 丸善、東京.
- 80) Katura, N., K. Takayanagi, T. Sato, T. Nishijima, and H. Yamaji. 1991. Gibberellin induced flowering and morphological changes in taro plants. *Gibberellins*. N. Takahashi, B. O. Phinney, and J. MacMillan. eds., 370-377. Springer-Verlag, New York.
- 81) 西島隆明. 1990. 作物栽培 (土耕) 技術 6. 生長調節物質の利用 (1) 野菜. 農林水産研究文献解題 No.16 施設園芸編. 農林水産技術会議事務局編: 358-364. 農林統計協会、東京.
- 82) Nishijima, T.\*, N. Katsura and H. Yamaji. 1989. A new gibberellin bioassay: A proposed method for its systematic analysis. *JARQ.* 24: 188-194.

## 伊達修一

### 1. 原著論文

- 1) 伊達修一\*・宮脇潤・寺林敏. 2021. 貯蔵時の温度ならびにラップ包装がダイジョ (*Dioscorea alata* L.) ‘洛いも’切断担根体の再切断時における褐変に及ぼす影響. 農業生産技術管理学会誌. 27: 99-108.
- 2) Katsuyama, Y., M. Doi, S. Shioya, S. Hane, M. Yoshioka, S. Date, C. Miyahara, T. Ogawa, R. Takada, H. Okumura, R. Ikusawa, S. Kitajima, K. Oda, K. Sato, Y. Tanaka, T. Tezuka, M. Mino. 2021. The role of chaperone complex HSP90-SGT1-RAR1 as the associated machinery for hybrid inviability between *Nicotiana gossei* Domin and *N. tabacum* L. *Gene* 776(15), 145443.

- 3) Date, S.\*, T. Ogawa, K. Matsuura, N. Hata, S. Terabayashi. 2020. Effects of day length and air temperature fluctuation on the occurrence of leaf browning in sesame seedlings cultured in a plant factory under artificial light. *Environ. Control Biol.* 58(2), 37-42.
- 4) Sato, R., A. Sasaki, Y. Mori, M. Komai, S. Kamo, M. Onuki, T. Seki, Z. Kawabe, S. Miyajima, S. Tomoshige, T. Kawasaki, S. Sato, T. Nakamura, N. Kubo, S. Takeda, S. Date, S. Okamoto, P. Boonyariththongchai, K. Thirapanmethee, M. T. Chomnawang, B. Bongcheewin, T. L. Nguyen, H. L. T. Nguyen, H. T. Le, Y. Nakamura, K. Kuramochi. 2020. Investigation on the epoxidation of piperitenone, and structure-activity relationships of piperitenone oxide for differentiation-inducing activity. *J. Oleo Sci.* 69(8), 951-958.
- 5) 伊達修一\*・寺林敏. 2020. トマト小葉基部の中肋組織からの不定芽の節位別の発生頻度と中肋における同化産物の蓄積との関係. *園芸学研究* 19(1): 55-60.
- 6) 辻元人・上林勇士・堀田裕奈・小野 愛・木村重光・伊達修一・久保中央. 2019. 根こぶ病が花菜（食用ナバナ）の収量に及ぼす影響. *関西病虫研報* (61) : 129-132.
- 7) 寺林敏・武井美穂子・伊達修一・藤目幸擴. 2009. トマト果頂部の小孔形成過程の組織学的観察. *農業生産技術管理学会誌*. 15(3):180-184.
- 8) 寺林敏・池田和代・伊達修一・藤目幸擴. 2009. サトイモ球茎の粘質物蓄積と蓄積腔の発達様相. *園芸学研究*. 8(3):347-351.
- 9) Kawamura, A., Y. Fujime, S. Terabayashi and S. Date. 2009. Micromorphological Observation of Floret Development of Garland Chrysanthemum (*Chrysanthemum coronarium* L.). *Journal of JSAM*. 15(1):47-54.
- 10) 寺林敏・原田直美・伊達修一・藤目幸擴. 2008. 水耕ニンジン (*Daucus carota* L.) の根の肥大に及ぼす通気および培養液水位の影響. *園芸学研究* 7(3):439-444.
- 11) 寺林敏・吉川沙織・伊達修一・藤目幸擴. 2008. トマトの子室褐変果の発生に及ぼす着果促進処理の影響. *農業生産技術管理学会誌*. 14(3):156-160.
- 12) Pichitra K., Y. Fujime, S. Sukprakarn, S. Terabayashi and S. Date. 2008. Effects of Pollination Methods on Seed Formation of White-and Red-stem Type Water Convolvulus (*Ipomoea aquatic* Forssk.). *Journal of JSAM*. 14(3):170-076.
- 13) Pornpairin, R., Yukihiro Fujime, S. Terabayashi and S. DATE. 2008. Low Temperature Requirements for Flower Bud Differentiation of Brussels (*Brassica oleracea* var. gemmifera Zenk.). *Journal of JSAM*. 15(1):9-15.
- 14) Mino, M., N. Murata, S. Date and M. Inoue. 2007. Cell death in seedlings of the interspecific hybrid of *Nicotiana gossei* and *N. tabacum*; possible role of knob-like bodies formed on tonoplast in vacuolar-collapse-mediated cell death. *Plant Cell Rep.* 26:407-419.
- 15) Hagimori, T., Y. Abe, S. Date and K. Miura. 2006. The first finding of a *Rickettsia* bacterium associated with parthenogenesis induction among insects. *Current Microbiol.* 52:97-101.
- 16) Date, S.\*, S. Terabayashi, Y. Kobayashi and Y. Fujime. 2005. Effects of chloramines concentration in nutrient solution and exposure time on plant growth in hydroponically cultured lettuce. *Sci. Hortic.*

103:257-265.

- 17) 伊達修一\*・羽野文雄・那波和志・寺林 敏・藤目幸擴. 2005. クロラミンを含む培養液への還元剤の添加がサラダナにおける根部傷害の発生および生育に及ぼす影響. 園芸学研究 4(3):297-301.
- 18) Rithichai, P., Y. Fujime, S. Sukprakarn, S. Terabayashi, N. Okuda and S. Date. 2004. Effects of photoperiod on flower bud initiation of some okra (*Abelmoschus esculentus*) cultivars in spring and autumn. J. Japan. Soc. Hort. Sci. 73(4):312-318.
- 19) Terabayashi, S., I. Muramatsu, S. Tokutani, M. Ando, E. Kitagawa, T. Shigemori, S. Date and Y. Fujime. 2004. Relationship between the weekly nutrient uptake rate during fruiting stages and fruit weight of tomato (*Lycopersicon esculentum* Mill.) grown hydroponically. J. Japan. Soc. Hort. Sci. 73(4):324-329.
- 20) Rithichai, P., Y. Fujime, S. Sukprakarn, S. Terabayashi and S. Date. 2004. Flowering response to photoperiod in okra (*Abelmoschus esculentus*). J. Japan. Soc. Agr. Tech. Man. 11(1):33-41.
- 21) Rithichai, P., Y. Fujime, S. Terabayashi, N. Okuda and S. Date. 2004. Micromorphological observations of flower bud differentiation and development of okra (*Abelmoschus esculentus* (L.) Moench). J. Japan. Soc. Hort. Sci. 73(5):421-428.
- 22) 寺林敏・浅香智孝・戸祭章・伊達修一・藤目幸擴. 2004. トマト水耕栽培における硝酸態窒素およびリンの定量施与が養分吸収および果実生産に及ぼす影響. 園芸学研究 3(2):195-200.
- 23) 寺林敏・丸谷成・伊達修一・藤目幸擴. 2004. オオクログワイ (*Eleocharis tuberosa* Roem) の生育習性と塊茎形成. 園芸学研究 3(2):201-204.
- 24) 寺林敏・丸谷成・伊達修一・藤目幸擴. 2004. オオクログワイ (*Eleocharis tuberosa* Roem) 塊茎の萌芽に及ぼす温度, 光および外皮の影響. 農業生産技術管理学会誌 11(2):63-67.
- 25) Date, S.\*, S. Terabayashi, K. Matsui, T. Namiki and Y. Fujime. 2002. Induction of root browning by chloramine in *Lactuca sativa* L. grown in hydroponics. J. Japan. Soc. Hort. Sci. 71(4):485-489.
- 26) Ikeda, T., Y. Fujime, S. Terabayashi and S. Date. 2002. Water status of garlic callus under various salt and osmotic conditions. HortScience 37(2):404-405.
- 27) Date, S.\*, T. Hataya and T. Namiki. 1999. Effects of nutrient and environmental pre-treatments on the occurrence of root injury of lettuce caused by chloramine. Acta Hortic. 481:553-559.
- 28) Date, S.\*, K. Naba, K. Kobayashi and T. Namiki. 1995. Injury of root tissue caused by chlorine compound in nutrient solution made of tap water. Acta Hortic. 396:181-186.
- 29) 伊達修一\*・田中淳夫・坂本泰子・並木隆和. 1994. 水耕ホウレンソウの生育ならびに葉内シュウ酸及び硝酸濃度に対する K 及び C a の影響. 京都府立大学学術報告 農学 46:1-6.
- 30) 片岡圭子・伊達修一・後藤丹十郎・浅平端. 1994. ホルクロルフエニユロンによるオーキシン誘導単為結果トマト果実の空どう果の発生抑制. 園芸学会雑誌 63(1):61-66.

## 2. 総説・著書



- 31) 伊達修一. 2001. 培養液の温度管理. 農業技術体系 野菜編 第 12 卷 共通技術・先端技術. 農山漁村文化協会. 東京. p.96 の 34-41.
- 32) 伊達修一. 2001. 第 3 章. 養液栽培の主要方式の特性と栽培法 5.その他の固形培地耕., 第 4 章 用水と培養液の調整・管理 2.培養液の調整・管理 5) 酸素濃度, 6) 温度, 7) その他. (社) 日本施設園芸協会編. 養液栽培の新マニュアル. 誠文堂新光社. 東京. p.116-127,190-204.
- 33) 伊達修一. 2007. 第 12 章. 新しい生産技術と生産施設 2.ハウス,温室, 3.人工気象装置. 金浜耕基編. 野菜園芸学. 文永堂出版. 東京. p.259-269.
- 34) 伊達修一. 2012. 第 3 章 第 2 節 培養機の調整・管理 (ただしこのうち, 4) 窒素形態 p.86-93 は寺林敏が著者) 第 3 節 培地の種類にあった培養液管理・給液管理 第 4 節 高品質化のための培養液管理技術 (社) 日本施設園芸協会・日本養液栽培研究会共編 養液栽培のすべて 植物工場を支える基本技術. 誠文堂新光社. 東京. p.64-86,93-116.
- 35) 畑 直樹・伊達修一. 2013. 第 6 章 第 6 節 葉ゴマの栽培・生産技術について. 植物工場 生産システムと流通技術の最前線. NTS. 東京. p.329-341.
- 36) 伊達修一. 2015. 第VI部 養液栽培 第 3 章 培地の種類とその特徴. (一社) 日本施設園芸協会編. 施設園芸・植物工場ハンドブック. 農文協. 東京. p.287-291.
- 37) 伊達修一. 2012. よくわかる農業施設用語解説集. 農業施設学会 農業施設用語解説集編集委員会編.